

Sample Order / Cheat Sheet
T Lighting 1/4

QUOTE ORDER

NAME: _____

PO#: _____

ADDRESS: _____

DELIVERY: _____

ADDRESS: _____



HARDWARE WORK ORDER

TOLL FREE 888.788.2013 OR 208.788.2013; FAX 208.788.2577

ORDER DATE: _____

OFFICE PHONE: _____

CONTACT: _____

FAX PHONE: _____

JOB NAME: _____

JOB PHONE: _____

| LINE # | FUNCTION | FIXTURE | ESCUTCHEON | METAL | PATINA | LENGTH | OPTIONS | SHADE OPTIONS | DESCRIPTION | LOCATION | QUANTITY | PRICE QUOTED |
|--------|----------|-----------|------------|-------|--------|--------|---------|---------------|-------------|----------|----------|--------------|
| 1 | LT | PE435-LED | E403 | B | BB | | | | | 101 | 1 | \$ 2,491 |
| 2 | LT | WS410 | E155 | W | M | | | | LBK | 101 | 1 | \$ 2,397 |
| 3 | LT | V450 | E419 | B | D | 26 | | | | 112 | 1 | \$ 3,814 |
| 4 | LT | WS421 | G520 | W | BB | | | | | 100 | 1 | \$ 2,304 |
| 5 | LT | C500 | | W | D | 60 | C, P | CSW | | 125 | 1 | \$ 14,262 |
| 6 | LT | C450 | G4513 | B | L | 104 | | | | 127 | 1 | \$ 9,278 |

FUNCTION

LT-D = Lighting,
Damp Location
LT-W = Lighting,
Wet Location
AC = Accessory

FIXTURE

See following page.

ESCUTCHEONS

E155 = 5 1/2" x 5 1/2"
Square Designer
E280 = 5 1/2" x 5 1/2" Metro
E403 = 5 1/2" x 5 1/2" Square
E419 = 6 1/2" Round
E560 = 6 1/2" x 13" Oval
G153 = 5 1/2" x 13"
Rectangular Designer
G290 = 5 1/2" x 13" Metro
G291 = 4" x 30" Metro
G504 = 23/4" x 20" Curved
G520 = 5" x 20" Curved
G4513 = 5 1/2" x 13"
Rectangular

METAL

B = Silicon Bronze
W = White Bronze

PATINA

L = Light
M = Medium
D = Dark
R = Rust
BB = Brushed
DL = Dark Lustre
HP = High Polished *
*Up-charge applies.

LENGTH

Vanity V450 & V455
26 = 26"
40 = 40"
54 = 54"
68 = 68"
82 = 82"
94 = 94"
Chandelier C450 & C455
Specify up to 104"
Chandelier C500
Specify up to 77"
Chandelier C525
Specify up to 73"

OPTIONS

C = Crystals
P = Prisms

SHADE OPTIONS

CSW = Cone Shade White
CSF = Cone Shade Flax
CST = Cone Shade Taupe
CSB = Cone Shade Black
DSW = Drum Shade White
DSF = Drum Shade Flax
DST = Drum Shade Taupe
DSB = Drum Shade Black
DS2W = Drum Shade 2 White
DS2F = Drum Shade 2 Flax
DS2T = Drum Shade 2 Taupe
DS2B = Drum Shade 2 Black

DESCRIPTION

Leather Options
LBK = Black Leather
LBT = Brown Tapestry Leather
LBW = Brown Weave Leather
LCH = Chocolate Leather
LHA = Hazelnut Leather
LSP = Spice Leather
LWH = White Leather
LWI = Wine Leather

Texture Options Not Available

LOCATION #

Room Number or Door Number,
etc.

QUANTITY

Number of each desired

QUOTED PRICE

\$ List price each

LIGHTING FIXTURE

DESCRIPTION

- C400FB = Cube Chandelier with Flat Box
- C400CB = Cube Chandelier with Corrugated Box
- C405FB = Double Cube Chandelier with Flat Box
- C420 = Linear Chandelier
- C450* = Cross Arm Chandelier with Round Glass
- C455* = Cross Arm Chandelier with Square Glass
- C500* = 5-Arm Chandelier
- C525* = 3-Arm Chandelier

Glass Shades — Replacement

- Corrugated Flat 20
- Corrugated Plank 20
- Curve Slump 3.5
- Curve Slump 4
- Flat 20
- Flat 40
- Flat 50
- Globe 001
- Globe 002
- Globe 004
- Globe 001-W
- Globe 004-W
- Globe 005
- Globe 010
- Mod Glass
- Plank 20
- Shade 425
- Shade 6
- Shade 10
- Square Slump 7
- S Tube 001
- S Tube 003

CF485 = Crosby Ceiling Light

LG400 = Pathway Light

- PE425 = Foxtrot Pendant
- PE430 = Delta Pendant
- PE435 = Charlie Pendant
- PE450 = Bravo Pendant
- PE455 = Alpha Pendant
- PE465 = Echo Pendant
- PE490 = Luna Pendant
- PE523 = Ethel Pendant
- PE525 = Lucy Pendant
- PE530 = Cargo Pendant
- PE532 = Madison Pendant
- PE625 = Torch Pendant
- PE627 = Icicle Pendant

*See page Ti for available lengths.

- V440 = Triple Plank with Flat Glass
- V445 = Triple Plank with Corrugated Glass
- V450* = Lantern Vanity with Round Glass
- V455* = Lantern Vanity with Square Glass

- WS400 = Post Sconce with Round Glass
- WS405 = Post-Ring Sconce with Round Glass
- WS410 = Truss Sconce with Round Glass
- WS415 = Truss-Ring Sconce with Round Glass
- WS416 = Truss Sconce with Square Glass
- WS418 = Truss-Ring Sconce with Square Glass
- WS419 = Charlie Sconce
- WS420 = Double Tunnel Sconce
- WS421 = Mod Sconce
- WS423 = Double Charlie Sconce
- WS425 = Small Vessel Sconce
- WS430 = Vessel Sconce
- WS440 = Plank Sconce with Flat Glass
- WS445 = Plank Sconce with Corrugated Glass
- WS465 = Lantern Sconce
- WS466 = Dice Sconce
- WS468 = Gateway Sconce
- WS480 = Tunnel Sconce
- WS500 = Towne Sconce
- WS590 = Echo Sconce

Sample Order / Cheat Sheet
T Lighting 3/4

ESCUTCHEON CHOICES

UL RATING

| LIGHTING OPTIONS | | G4513 | E403 | E560 | E419 | G290 | E280 | G153 | E155 | G504 | G520 | G291 | DAMP | WET | LED |
|-----------------------------------|------------|------------|----------|------------|----------|------------|----------|------------|----------|------------|--------|--------|------|-----|-----|
| FIXTURE | PART | 5 1/2 X 13 | 5 1/2 SQ | 6 1/2 X 13 | 6 1/2 RD | 5 1/2 x 13 | 5 1/2 SQ | 5 1/2 X 13 | 5 1/2 SQ | 2 3/4 X 20 | 5 X 20 | 4 X 30 | | | |
| CUBE CHANDELIER FLAT GLASS | C400FB | • | | | | • | | • | | | | | • | | • |
| CUBE CHANDELIER CORRUGATED GLASS | C400CB | • | | | | • | | • | | | | | • | | • |
| DOUBLE CUBE CHANDELIER FLAT GLASS | C405FB | | • | | • | | • | | • | | | | • | | |
| LINEAR CHANDELIER | C420 | | • | | • | | • | | • | | | | | | • |
| CROSS ARM CHANDELIER ROUND GLASS | C450 | • | | | | • | | • | | | | | • | | • |
| CROSS ARM CHANDELIER SQUARE GLASS | C455 | • | | | | • | | • | | | | | • | | • |
| FIVE-ARM CHANDELIER TOWNE | C500 | | | | • | | | | | | | | • | | |
| THREE-ARM CHANDELIER TOWNE | C525 | | | | • | | | | | | | | • | | |
| ALPHA PENDANT SQUARE GLASS | PE455 | | • | | • | | • | | • | | | | • | | • |
| BRAVO PENDANT ROUND GLASS | PE450 | | • | | • | | • | | • | | | | • | | • |
| CHARLIE PENDANT SQUARE GLASS | PE435 | | • | | • | | • | | • | | | | • | | • |
| FOXTROT PENDANT SQUARE GLASS | PE425 | | • | | • | | • | | • | | | | • | | • |
| DELTA PENDANT SQUARE GLASS | PE430 | | • | | • | | • | | • | | | | • | | • |
| ECHO PENDANT SQUARE GLASS | PE465 | | • | | • | | • | | • | | | | • | | • |
| LUNA PENDANT | PE490 | | • | | • | | • | | • | | | | • | | |
| ETHEL PENDANT | PE523 | | | | • | | | | • | | | | • | | • |
| LUCY PENDANT | PE525 | | | | • | | | | • | | | | • | | • |
| CARGO PENDANT ROUND GLASS | PE530 | | • | | • | | • | | | | | | • | | |
| MADISON PENDANT | PE532 | | • | | • | | • | | | | | | • | | • |
| TORCH PENDANT | PE625 | | • | | • | | • | | • | | | | • | | • |
| IGICLE PENDANT | PE627 | | • | | • | | • | | • | | | | • | | • |
| LANTERN VANITY ROUND GLASS | V450 26-94 | | • | | • | | • | | • | | | | • | | • |
| LANTERN VANITY SQUARE GLASS | V455 26-94 | | • | | • | | • | | • | | | | • | | • |
| TRIPLE PLANK FLAT VANITY | V440 | | | | | | | | | | | | • | | • |
| TRIPLE PLANK VANITY CORRUGATED | V445 | | | | | | | | | | | | • | | • |
| PLANK SCONCE FLAT GLASS | WS440 | | | | | | | | | | | | • | | • |
| PLANK SCONCE CORRUGATED GLASS | WS445 | | | | | | | | | | | | • | | • |
| POST SCONCE ROUND GLASS | WS400 | • | • | • | • | • | • | • | • | | | | • | • | • |
| POST RING SCONCE ROUND GLASS | WS405 | • | • | • | • | • | • | • | • | | | | • | • | • |
| TRUSS SCONCE ROUND GLASS | WS410 | • | • | • | • | • | • | • | • | | | | • | • | • |
| TRUSS RING SCONCE ROUND GLASS | WS415 | • | • | • | • | • | • | • | • | | | | • | • | • |
| TRUSS SCONCE SQUARE GLASS | WS416 | • | • | • | • | • | • | • | • | | | | • | • | • |
| TRUSS RING SCONCE SQUARE GLASS | WS418 | • | • | • | • | • | • | • | • | | | | • | • | • |
| CHARLIE SCONCE SQUARE GLASS | WS419 | • | • | • | • | • | • | • | • | | | | • | | • |

- These fixtures must be mounted or supported independently of an outlet box.
- Glass is individually hand formed for every fixture, thus no two pieces will look exactly alike.

Light Emitting Diodes (LED) Lighting Information

- Fixtures with LED options carry an up charge
- Dimmable
- Low Voltage
- Green—no lead no mercury
- 50,000 hours of lamp life
- Instant on/off performance
- Energy savings up to 80%
- Meets California's Title 24 lighting requirements

ESCUTCHEON CHOICES

UL RATING

| LIGHTING OPTIONS | | G4513 | E403 | E560 | E419 | G290 | E280 | G153 | E155 | G504 | G520 | G291 | DAMP | WET | LED |
|--------------------------|-------|------------|----------|------------|----------|------------|----------|------------|----------|------------|--------|--------|------|-----|-----|
| FIXTURE | PART | 5 1/2 X 13 | 5 1/2 SQ | 6 1/2 X 13 | 6 1/2 RD | 5 1/2 x 13 | 5 1/2 SQ | 5 1/2 X 13 | 5 1/2 SQ | 2 3/4 X 20 | 5 X 20 | 4 X 30 | | | |
| DOUBLE TUNNEL SCONCE | WS420 | | | | | | | | | | | • | • | | • |
| ECHO SCONCE SQUARE GLASS | WS590 | • | • | • | • | • | • | • | • | | | | • | | • |
| LANTERN SCONCE | WS465 | • | • | | | • | • | | | | | | • | • | • |
| MOD SCONCE | WS421 | | | | | | | | | • | • | | • | | • |
| DOUBLE CHARLIE SCONCE | WS423 | | • | | • | | • | | • | | | • | • | | • |
| SMALL VESSEL SCONCE | WS425 | | | | | | | | | | | | • | | • |
| LARGE VESSEL SCONCE | WS430 | | | | | | | | | | | | • | | • |
| TUNNEL SCONCE | WS480 | | | | | | | | | | | | • | | • |
| TOWNE SCONCE | WS500 | • | • | • | • | • | • | • | • | | | | • | | • |
| DICE SCONCE | WS466 | | | | | | | | | | | | • | | • |
| GATEWAY SCONCE | WS468 | | | | | | | | | | | | • | | • |
| PATHWAY LIGHT | LG400 | | | | | | | | | | | | | • | • |
| CROSBY CEILING LIGHT | CF485 | | | | | | | | | | | | • | | • |


- These fixtures must be mounted or supported independently of an outlet box.
- Glass is individually hand formed for every fixture, thus no two pieces will look exactly alike.

Light Emitting Diodes (LED) Lighting Information

- Fixtures with LED options carry an up charge
- Dimmable
- Low Voltage
- Green—no lead no mercury
- 50,000 hours of lamp life
- Instant on/off performance
- Energy savings up to 80%
- Meets California's Title 24 lighting requirements


- It is the responsibility of the contractor and homeowner to confirm that the light fixture is properly installed.
- All fixtures are to be installed by a qualified electrician.
- All fixtures must be mounted or supported independently of an outlet box.

INCANDESCENT: CHANDELIER AND PENDANT ELECTRICAL BOX LOCATION:




- It is the responsibility of the contractor and homeowner to confirm that the light fixture is properly installed.
- All fixtures are to be installed by a qualified electrician.
- All fixtures must be mounted or supported independently of an outlet box.
- WS421 requires a single gang electrical box.

INCANDESCENT: WALL SCONCE AND VANITY ELECTRICAL BOX LOCATION:




- It is the responsibility of the contractor and homeowner to confirm that the light fixture is properly installed.
- All fixtures are to be installed by a qualified electrician.
- All fixtures must be mounted or supported independently of an outlet box.


LED: CHANDELIER AND PENDANT ELECTRICAL BOX LOCATION:




E403 & E280




E419



G4513, G290,
E280




G153



E155


- It is the responsibility of the contractor and homeowner to confirm that the light fixture is properly installed.
- All fixtures are to be installed by a qualified electrician.
- All fixtures must be mounted or supported independently of an outlet box.
- WS421 and WS423 require a single gang extra deep volume electrical box.

LED: WALL SCONCE AND VANITY ELECTRICAL BOX LOCATION:




- It is the responsibility of the contractor and homeowner to confirm that the light fixture is properly installed.
- All fixtures are to be installed by a qualified electrician.
- All fixtures must be mounted or supported independently of an outlet box.

INCANDESCENT: VANITY ELECTRICAL BOX LOCATION: E403 & E280



- It is the responsibility of the contractor and homeowner to confirm that the light fixture is properly installed.
- All fixtures are to be installed by a qualified electrician.
- All fixtures must be mounted or supported independently of an outlet box.


LED: VANITY ELECTRICAL BOX LOCATION: E403 & E280



x denotes electrical box location
inwall—other boxes show
location of LED housing.


- It is the responsibility of the contractor and homeowner to confirm that the light fixture is properly installed.
- All fixtures are to be installed by a qualified electrician.
- All fixtures must be mounted or supported independently of an outlet box.

INCANDESCENT: VANITY ELECTRICAL BOX LOCATION: E419




- It is the responsibility of the contractor and homeowner to confirm that the light fixture is properly installed.
- All fixtures are to be installed by a qualified electrician.
- All fixtures must be mounted or supported independently of an outlet box.

LED: VANITY ELECTRICAL BOX LOCATION: E419





- It is the responsibility of the contractor and homeowner to confirm that the light fixture is properly installed.
- All fixtures are to be installed by a qualified electrician.
- All fixtures must be mounted or supported independently of an outlet box.



INCANDESCENT: VANITY ELECTRICAL BOX LOCATION: E155





- All shades are hand-blown and hand-crafted glass. The size and surface finish may vary.
- All fixtures are provided with shades. These shades are listed for replacement only.





Mod Glass
3 11/16" x 8 1/2" x 1/8"..... \$ 28 net





Shade 10
6 15/16" x 12" x 5/16"..... \$ 75 net



Globe 001
4" x 6 1/4"..... \$ 105 net





Globe 001-W
4" x 6 1/4"..... \$ 105 net




Globe 010
9 13/16" x 15"..... \$ 600 net



- All shades are hand-blown and hand-crafted glass. The size and surface finish may vary.
- All fixtures are provided with shades. These shades are listed for replacement only.






Globe 004
4" x 4" x 6 1/4" \$ 105 net



Globe 004-W
4" x 4" x 6 1/4" \$ 105 net




Globe 002
4 1/2" x 9 1/2" x 4 1/2" \$ 240 net




Globe 005
5" x 9" x 5" \$ 294 net



- All shades are hand-blown and hand-crafted glass. The size and surface finish may vary.
- All fixtures are provided with shades. These shades are listed for replacement only.





S Tube 001
3" x 3" x 6 1/2" \$ 105 net



S Tube 003
3" x 3" x 9 1/2" \$ 105 net





Shade 425
4 5/8" x 13" x 4 1/2" \$ 201 net





Square Slump 7
7" x 16" x 7" \$ 227 net



- All shades are hand-blown and hand-crafted glass. The size and surface finish may vary.
- All fixtures are provided with shades. These shades are listed for replacement only.






Curve Slump 3.5
3 3/4" x 8" x 3 1/2" \$102 net





Curve Slump 4
3 3/4" x 13 3/4" x 3 1/2" \$156 net



Shade 6
6" x 6" x 3/16" \$61 net







Flat 30
6 3/8" x 6 3/8" x 1/8" \$20 net




Flat 35
6 9/16" x 2 3/16" x 1/8" \$10 net



- All shades are hand-blown and hand-crafted glass. The size and surface finish may vary.
- All fixtures are provided with shades. These shades are listed for replacement only.
- Shades Flat 20, Flat 40, and Corrugated Flat 20 require professional installation.




- All shades are hand-blown and hand-crafted glass. The size and surface finish may vary.
- All fixtures are provided with shades. These shades are listed for replacement only.
- Shades Flat 20, Flat 40, and Corrugated Flat 20 require professional installation.




Flat 40
41 1/2" x 12" x 1/4" \$ 373 net





Flat 50
36" x 2 15/16" x 1/4" \$ 102 net




- All shades are hand-blown and hand-crafted glass. The size and surface finish may vary.
- All fixtures are provided with shades. These shades are listed for replacement only.
- Shades Plank 20 and Corrugated Plank 20 require professional installation.




Plank 20
 6 3/16" x 20" x 3 11/16" \$ 120 net




Corrugated Plank 20
 6 3/16" x 19 7/8" x 3 7/8" \$ 148 net




- All linen shades are 100% linen.
- Shades are available in the following colors: White, Flax, Taupe, or Black.
- Shades are available in the following styles: Cone and Drum.
- Linen shades included with appropriate fixtures. These shades are listed for replacement only.



Cone 1
 6 1/2" diameter x 5 1/2" \$ 40 net
 • Available for C500 and WS500



Drum 1
 5 1/2" diameter x 5 1/2" \$ 40 net
 • Available for C500 and WS500





Drum 2
 9" diameter x 11" \$ 76 net
 • Available for PE532



- Specify metal, patina, and escutcheon.
- Light fixtures are shown with G4513 Rectangular escutcheon for illustration purposes only. See pages Tiii -Tiv for available escutcheon options.
- All LED lights are dimmable.
- The standard cable length for Cube chandeliers is 10'. Please specify if additional length is needed. Call RMH for pricing.
- Fixtures are UL rated for indoor and outdoor damp locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in ceiling is required.
- See page Ti for leather options. Bronze textures not available. Refer to website or brochure for leather details.

Chandelier

C400FB
(Flat Box)



C400CB
(Corrugated Box)



Cube Chandelier

- 10' Maximum cord length.
- 4 incandescent or compact fluorescent type B bulbs.
- 60 watts maximum ea.
- Bulbs not included.
- Price includes glass shade.
- * Designer escutcheon requires leather choice.





LED Cube Chandelier

- 10' Maximum cord length.
- Price includes LED lamp.
- Price includes glass shade.
- 120VAC, 60Hz
- 13.2 W, 2700K
- * Designer escutcheon requires leather choice.

| Chandelier | Overall Width | Overall Depth | Overall Height | Shade Type | Wt. lbs. | Standard Escutcheon | Designer Escutcheon* (G153) |
|------------|---------------|---------------|----------------|------------|----------|---------------------|-----------------------------|
| C400FB | 22" | 22" | 22" | Flat 20 | 44.00 | \$ 10,483 | \$ 10,923 |
| C400FB-LED | 22" | 22" | 22" | Flat 20 | 44.00 | \$ 10,849 | \$ 11,289 |
| C400CB | 22" | 22" | 22" | Corrugated | 44.00 | \$ 10,483 | \$ 10,923 |
| C400CB-LED | 22" | 22" | 22" | Corrugated | 44.00 | \$ 10,849 | \$ 11,289 |

- Specify metal, patina, and escutcheon.
- Light fixtures are shown with E403 Square escutcheon for illustration purposes only. See pages Tiii -Tiv for available escutcheon options.
- All LED lights are dimmable.
- The standard length for Cube chandeliers is 10'. Please specify if additional length is needed. Call RMH for pricing.
- Fixtures are UL rated for indoor and outdoor damp locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in ceiling is required.
- See page Ti for leather options. Bronze textures not available. Refer to website or brochure for leather details.

Chandelier



Double Cube Chandelier

- 10' Maximum cord length.
- 8 incandescent or compact fluorescent type B bulbs.
- 60 watts maximum ea.
- Bulbs not included.
- Price includes glass shades.
- * Designer escutcheon requires leather choice.



LED Double Cube Chandelier

- 10' Maximum cord length.
- Price includes LED lamp.
- Price includes glass shades.
- 120VAC, 60Hz
- 26.4 W, 2700K
- * Designer escutcheon requires leather choice.

| Chandelier | Overall Width | Overall Depth | Overall Height | Shade Type | Wt. lbs. | Standard Escutcheon | Designer Escutcheon* (E155) |
|------------|---------------|---------------|----------------|-------------------|----------|---------------------|-----------------------------|
| C405FB | 44" | 22" | 22" | Flat 20 & Flat 40 | 85.00 | \$ 17,836 | \$ 18,555 |
| C405FB-LED | 44" | 22" | 22" | Flat 20 & Flat 40 | 85.00 | \$ 18,634 | \$ 19,354 |


- Specify metal, patina, and escutcheon.
- Light fixtures are shown with E419 Round escutcheon for illustration purposes only. See pages Tiii -Tiv for available escutcheon options.
- All LED lights are dimmable.
- The standard length is 10'. Please specify if additional length is needed. Call RMH for pricing.
- Fixture is not UL rated.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in ceiling is required.
- See page Ti for leather options. Bronze textures not available. Refer to website or brochure for leather details.

Chandelier



LED Linear Chandelier


- 10' Maximum cord length.
 - Power supply included but not attached to fixture.
 - Provide remote location for included LED driver, approximately 3.5" x 3.5" x 11" air gap required.
 - LED lamp included.
 - 65 watts.
 - Price includes glass shades.
 - 120VAC, 60Hz
 - 65 W, 2600K
- * Designer escutcheon requires leather choice.



| Chandelier | Overall Width | Overall Depth | Overall Height | Shade Type | Wt. lbs. | Standard Escutcheon | Designer Escutcheon* (E155) |
|------------|---------------|---------------|----------------|------------|----------|---------------------|-----------------------------|
| C420-LED | 72 3/4" | 3 3/4" | 3" | Flat 50 | 65.00 | \$ 13,305 | \$ 14,024 |

- Specify metal, patina, and escutcheon.
- Light fixtures are shown with G4513 Rectangular escutcheon for illustration purposes only. See pages Tiii -Tiv for available escutcheon options.
- All LED lights are dimmable.
- Specify fixture length. The maximum standard length for Cross Arm Chandelier is 8'. Please specify if additional length is needed. Call RMH for pricing.
- Fixtures are UL rated for indoor and outdoor damp locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in ceiling is required.
- See page Ti for leather options. Bronze textures not available. Refer to website or brochure for leather details.

Chandelier



Cross Arm Chandelier

- 8' maximum length.
- 4 incandescent or compact fluorescent type A bulbs.
- 100 watts maximum ea.
- Bulbs not included.
- Price includes glass shade.
- * Designer escutcheon requires leather choice.




LED Cross Arm Chandelier

- 8' maximum length.
- Price includes LED lamp.
- Price includes glass shade.
- 120VAC, 60Hz
- 13.2 W, 2700K
- * Designer escutcheon requires leather choice.

| Chandelier | Overall Width | Overall Depth | Overall Height | Shade Type | Wt. lbs. | Standard Escutcheon | Designer Escutcheon* (G153) |
|------------|---------------|---------------|----------------|------------|----------|---------------------|-----------------------------|
| C450 | 36 7/16" | 36 7/16" | 9 11/16" | Globe 001 | 50.00 | \$ 9,278 | \$ 9,718 |
| C450-LED | 36 7/16" | 36 7/16" | 9 11/16" | Globe 001 | 50.00 | \$ 9,644 | \$ 10,084 |
| C455 | 36 7/16" | 36 7/16" | 9 11/16" | Globe 004 | 50.00 | \$ 9,278 | \$ 9,718 |
| C455-LED | 36 7/16" | 36 7/16" | 9 11/16" | Globe 004 | 50.00 | \$ 9,644 | \$ 10,084 |

- Specify metal and patina.
- Light fixtures shown with E419 Round escutcheon for illustration purposes only. See pages Tiii -Tiv for available escutcheon options.
- Specify fixture lengths. The maximum standard length for the 5–Arm Chandelier is 77".
Please specify if additional length is needed. Call RMH for pricing.
- Fixtures are UL rated for indoor and outdoor damp locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in ceiling is required.

Chandelier



Towne 5–Arm Chandelier


- Price includes fabric shade.
- 5 incandescent or compact fluorescent type B bulbs.
- 60 watts maximum ea.
- Bulbs not included.
- Price includes fabric shade.



with crystals only



with prisms only



with crystals & prisms

SHADE OPTIONS



Cone 1




Drum 1

| C500 | Overall Width | Overall Depth | Overall Height | Shade Type | Wt. lbs. | Standard Escutcheon |
|-----------------|---------------|---------------|----------------|------------------|----------|---------------------|
| Option A | 28 1/2" | 28 1/2" | 27 3/16" | Cone 1 or Drum 1 | 46.00 | \$ 12,785 |
| Option B | 28 1/2" | 28 1/2" | 27 3/16" | Cone 1 or Drum 1 | 46.00 | \$ 13,477 |
| Option C | 28 1/2" | 28 1/2" | 27 3/16" | Cone 1 or Drum 1 | 46.00 | \$ 13,570 |
| Option D | 28 1/2" | 28 1/2" | 27 3/16" | Cone 1 or Drum 1 | 46.00 | \$ 14,262 |


- Specify metal and patina.
- Light fixtures shown with E419 Round escutcheon for illustration purposes only. See pages Tiii -Tiv for available escutcheon options.
- Specify fixture lengths. The maximum standard length for the 3–Arm Chandelier is 73".
Please specify if additional length is needed. Call RMH for pricing.
- Fixtures are UL rated for indoor and outdoor damp locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in ceiling is required.

Chandelier



Towne 3–Arm Chandelier

- 3 incandescent or compact fluorescent type B bulbs.
- 60 watts maximum ea.
- Bulbs not included.
- Price includes fabric shade.



with crystals only



with prisms only



with crystals & prisms

SHADE OPTIONS



Cone 1




Drum 1

| C525 | Overall Width | Overall Depth | Overall Height | Shade Type | Wt. lbs. | Standard Escutcheon |
|----------|---------------|---------------|----------------|------------------|----------|---------------------|
| Option A | 11 7/16" | 11 7/16" | 13 11/16" | Cone 1 or Drum 1 | 33.00 | \$ 6,313 |
| Option B | 11 7/16" | 11 7/16" | 13 11/16" | Cone 1 or Drum 1 | 33.00 | \$ 6,746 |
| Option C | 11 7/16" | 11 7/16" | 13 11/16" | Cone 1 or Drum 1 | 33.00 | \$ 6,784 |
| Option D | 11 7/16" | 11 7/16" | 13 11/16" | Cone 1 or Drum 1 | 33.00 | \$ 7,218 |

- Specify metal, patina, and escutcheon.
- Light fixtures are shown with E403 Square escutcheon for illustration purposes only. See pages Tiii -Tiv for available escutcheon options.
- All LED lights are dimmable.
- The standard cable length for pendants is 10'. Please specify if additional length is needed. Call RMH for pricing.
- Fixtures are UL rated for indoor and outdoor damp locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in ceiling is required.
- See page Ti for leather options. Bronze textures not available. Refer to website or brochure for leather details.

Pendants



Pendant

- 10' Maximum cord length.
- incandescent type bulb.
- 100 watts maximum.
- Bulb not included.
- Price includes glass shade when applicable.
- E155 Square Designer Escutcheon requires leather choice.



LED Pendant

- 10' Maximum cord length.
- Price includes LED lamp.
- Price includes glass shade.
- 120VAC, 60Hz
- 3.3 W, 2700K
- E155 Square Designer Escutcheon requires leather choice.

| Pendant | A Width | B Depth | C Height | Shade Type | Bulb Type | Wt. lbs. | Price | LED Price |
|--------------|---------|---------|----------|------------|-----------|----------|----------|-----------|
| PE455 | 5" | 5" | 8 11/16" | Globe 004 | A | 3.50 | \$ 1,982 | \$ 2,182 |
| PE455 w/E155 | 5" | 5" | 8 11/16" | Globe 004 | A | 3.50 | \$ 2,341 | \$ 2,541 |
| PE450 | 4 3/4" | 4 3/4" | 8 11/16" | Globe 001 | A | 3.50 | \$ 1,982 | \$ 2,182 |
| PE450 w/E155 | 4 3/4" | 4 3/4" | 8 11/16" | Globe 001 | A | 3.50 | \$ 2,341 | \$ 2,541 |
| PE465 | 6" | 6" | 11 1/2" | Globe 005 | A | 7.00 | \$ 3,747 | \$ 3,947 |
| PE465 w/E155 | 6" | 6" | 11 1/2" | Globe 005 | A | 7.00 | \$ 4,107 | \$ 4,307 |

- Specify metal, patina, and escutcheon.
- Light fixtures are shown with E403 Square escutcheon for illustration purposes only. See pages Tiii -Tiv for available escutcheon options.
- All LED lights are dimmable.
- The standard cable length for pendants is 10'. Please specify if additional length is needed. Call RMH for pricing.
- Fixtures are UL rated for indoor and outdoor damp locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in ceiling is required.
- See page Ti for leather options. Bronze textures not available. Refer to website or brochure for leather details.

Pendants



Pendant

- 10' Maximum cord length.
- incandescent type bulb.
- 100 watts maximum.
- Bulb not included.
- Price includes glass shade when applicable.
- E155 Square Designer Escutcheon requires leather choice.

LED Pendant

- 10' Maximum cord length.
- Price includes LED lamp.
- Price includes glass shade.
- 120VAC, 60Hz
- 3.3 W, 2700K
- E155 Square Designer Escutcheon requires leather choice.

| Pendant | A Width | B Depth | C Height | Shade Type | Bulb Type | Wt. lbs. | Price | LED Price |
|--------------|---------|---------|----------|------------|-----------|----------|----------|-----------|
| PE430 | 8" | 8" | 18" | Shade 10 | A | 40.00 | \$ 4,859 | \$ 5,059 |
| PE430 w/E155 | 8" | 8" | 18" | Shade 10 | A | 40.00 | \$ 5,219 | \$ 5,419 |
| PE425 | 5 1/8" | 5 1/8" | 13 1/4" | Globe 002 | A | 15.00 | \$ 2,719 | \$ 2,919 |
| PE425 w/E155 | 5 1/8" | 5 1/8" | 13 1/4" | Globe 002 | A | 15.00 | \$ 3,078 | \$ 3,278 |
| PE435 | 3 1/2" | 3 1/2" | 11 1/2" | S Tube 003 | A or T | 5.00 | \$ 1,931 | \$ 2,131 |
| PE435 w/E155 | 3 1/2" | 3 1/2" | 11 1/2" | S Tube 003 | A or T | 5.00 | \$ 2,291 | \$ 2,491 |

- Specify metal, patina, and escutcheon.
- Light fixtures are shown with E403 Square escutcheon for illustration purposes only. See pages Tiii -Tiv for available escutcheon options.
- The standard cable length for pendants is 10'. Please specify if additional length is needed. Call RMH for pricing.
- Fixtures are UL rated for indoor and outdoor damp locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in ceiling is required.
- See page Ti for leather options. Bronze textures not available. Refer to website or brochure for leather details.

Pendants




**Luna
PE490**



**Torch
PE625-LED**



**Icicle
PE627**



Pendant

- incandescent type bulb.
- 100 watts maximum.
- Bulb not included.
- Price includes glass shade when applicable.
- E155 Square Designer Escutcheon requires leather choice.

LED Pendant

- Price includes LED lamp.
- Price includes glass shade.
- 120VAC, 60Hz
- 4 W, 3000K
- E155 Square Designer Escutcheon requires leather choice.
- PE625-LED And PE627 are not dimmable.

| Pendant | A Width | B Depth | C Height | Shade Type | Bulb Type | Wt. lbs. | Price | LED Price |
|--------------|---------|---------|----------|------------|-----------|----------|----------|-----------|
| PE490 | 3 1/2" | 3 1/2" | 12" | - | B | 4.50 | \$ 1,622 | N/A |
| PE490 w/E155 | 3 1/2" | 3 1/2" | 12" | - | B | 4.50 | \$ 1,982 | N/A |
| PE625 | 2 1/2" | 2 1/2" | 6 9/16" | - | N/A | 3.50 | N/A | \$ 1,513 |
| PE625 w/E155 | 2 1/2" | 2 1/2" | 6 9/16" | - | N/A | 3.50 | N/A | \$ 1,873 |
| PE627 | 13/8" | 13/8" | 18 7/8" | - | N/A | 2.00 | N/A | \$ 1,617 |
| PE627 w/E155 | 13/8" | 13/8" | 18 7/8" | - | N/A | 2.00 | N/A | \$ 1,977 |


- Specify metal, patina, and escutcheon.
- Light fixtures are shown with E419 Round and E280 Metro escutcheons for illustration purposes only. See pages Tiii -Tiv for available escutcheon options.
- All LED lights are dimmable.
- Fixtures are UL rated for indoor and outdoor damp locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in ceiling is required.
- See page Ti for leather options. Bronze textures not available. Refer to website or brochure for leather details.

Pendants

**Cargo
PE530**



**Madison
PE532**






Pendant

- incandescent type bulb.
- 100 watts maximum.
- Bulb not included.
- Price includes glass shade when applicable.

LED Pendant


- Price includes LED lamp.
- Price includes fabric shade.
- 120VAC, 60Hz
- 13.2 W, 2700K
- E155 Square Designer Escutcheon requires leather choice.



| Pendant | A Width | B Depth | C Height | Shade Type | Bulb Type | Wt. lbs. | Price | LED Price |
|--------------|---------|---------|----------|------------|-----------|----------|-----------|-----------|
| PE530 | 14 1/2" | 14 1/2" | 23 1/2" | Globe 010 | A | 85.00 | \$ 18,266 | N/A |
| PE532 | 15 3/4" | 15 3/4" | 18 1/2" | Drum 2 | N/A | 38.00 | N/A | \$ 11,612 |
| PE532 w/E155 | 15 3/4" | 15 3/4" | 18 1/2" | Drum 2 | N/A | 38.00 | N/A | \$ 11,972 |

- Specify metal, patina, and escutcheon.
- Light fixtures are shown with E419 Round escutcheons for illustration purposes only. See pages Tiii -Tiv for available escutcheon options.
- All LED lights are dimmable.
- Fixtures are UL rated for indoor and outdoor damp locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in ceiling is required.
- See page Ti for leather options. Bronze textures not available. Refer to website or brochure for leather details.

Pendants





LED Pendant

- Price includes LED lamp.
- Price includes fabric shade.
- 120VAC, 60Hz
- 13.2 W, 2700K
- E155 Square Designer Escutcheon requires leather choice.

| Pendant | A Width | B Depth | C Height | Shade Type | Wt. lbs. | LED Price |
|--------------|---------|---------|----------|------------|----------|-----------|
| PE525 | 5 5/8" | 5 5/8" | 16 3/16" | GLOBE 006 | 20.5 | \$ 5,995 |
| PE525 W/E155 | 5 5/8" | 5 5/8" | 16 3/16" | GLOBE 006 | 20.5 | \$ 6,355 |
| PE525 | 5 5/8" | 5 5/8" | 11 3/16" | GLOBE 007 | 15.25 | \$ 5,995 |
| PE525 W/E155 | 5 5/8" | 5 5/8" | 11 3/16" | GLOBE 007 | 15.25 | \$ 6,355 |
| PE523 | 4 1/8" | 4 1/8" | 13 3/16" | GLOBE008 | 9.6 | \$ 4,307 |
| PE523 / E155 | 4 1/8" | 4 1/8" | 13 3/16" | GLOBE008 | 9.6 | \$ 4,667 |
| PE523 | 4 1/8" | 4 1/8" | 10 5/8" | GLOBE009 | 8.6 | \$ 4,307 |
| PE523 / E155 | 4 1/8" | 4 1/8" | 10 5/8" | GLOBE009 | 8.6 | \$ 4,667 |

- Specify metal and patina.
- All LED lights are dimmable.
- Fixtures are UL rated for indoor and outdoor damp locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in ceiling is required.

Ceiling Light CF485-LED



Crosby Ceiling Light

- Price includes LED lamp.
- Price includes glass shades.
- 120VAC, 60Hz
- 6.6 W, 2700K

| Ceiling Light | Overall Width | Overall Depth | Overall Height | Shade Type | Bulb Type | Wt. lbs. | Price |
|---------------|---------------|---------------|----------------|-------------------|-----------|----------|----------|
| CF485-LED | 12" | 12" | 2 1/2" | Flat 30 & Flat 35 | - | 18.00 | \$ 2,500 |



- Specify metal and patina.
- Fixtures are UL rated for indoor and outdoor damp locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in wall is recommended.
- See page Ti for leather options. Bronze textures not available. Refer to website or brochure for leather details.

Vanity

V440
w/Flat Glass



V445
w/Corrugated Glass



Triple Plank

- 3 incandescent or compact fluorescent type A bulbs.
- 100 watts maximum ea.
- Bulbs not included.
- Price includes glass shades.





LED Triple Plank

- Price includes LED lamp.
- Price includes glass shades.
- 120VAC, 60Hz
- 10 W, 2700K

| Vanity | Overall Width | Overall Projection | Overall Height | Shade Type | Bulb Type | Wt. lbs. | Price |
|----------|---------------|--------------------|----------------|---------------------|-----------|----------|----------|
| V440 | 60" | 5 3/8" | 8" | Plank 20 | A | 60.00 | \$ 7,401 |
| V440-LED | 60" | 5 3/8" | 8" | Plank 20 | - | 60.00 | \$ 7,720 |
| V445 | 60" | 5 1/4" | 8" | Corrugated Plank 20 | A | 60.00 | \$ 7,401 |
| V445-LED | 60" | 5 1/4" | 8" | Corrugated Plank 20 | - | 60.00 | \$ 7,720 |

- Specify metal, patina, and escutcheon.
- Light fixtures are shown with E403 Square escutcheon for illustration purposes only. See pages Tiii -Tiv for available escutcheon options.
- All LED lights are dimmable.
- Fixtures are UL rated for indoor and outdoor damp locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tix-Txiv for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in wall is recommended.
- See page Ti for leather options. Bronze textures not available. Refer to website or brochure for leather details.

Vanity V450



Lantern Vanity

- incandescent or compact fluorescent type A bulbs.
- 100 watts maximum ea.
- Bulbs not included.
- Price includes glass shades.
- * Designer escutcheon (E155) requires leather choice.





LED Lantern Vanity

- Price includes LED lamp.
- Price includes glass shade.
- 120VAC, 60Hz
- 13 W, 2700K
- * Designer escutcheon (E155) requires leather choice.

| Vanity | A Length | B Projection | C Height | # of Globes | Shade Type | Wt. lbs. | Standard Escutcheon | Designer Escutcheon* |
|-------------|----------|--------------|-----------|-------------|------------|----------|---------------------|----------------------|
| V450-26 | 26 7/16" | 7 3/8" | 11 15/16" | 2 | Globe 001 | 21.00 | \$ 3,814 | \$ 4,534 |
| V450-26-LED | 26 7/16" | 7 3/8" | 11 15/16" | 2 | Globe 001 | 21.00 | \$ 4,046 | \$ 4,766 |
| V450-40 | 40 7/16" | 7 3/8" | 11 15/16" | 3 | Globe 001 | 27.00 | \$ 5,532 | \$ 6,611 |
| V450-40-LED | 40 7/16" | 7 3/8" | 11 15/16" | 3 | Globe 001 | 27.00 | \$ 5,851 | \$ 6,930 |
| V450-54 | 54 7/16" | 7 3/8" | 11 15/16" | 4 | Globe 001 | 34.00 | \$ 7,161 | \$ 8,600 |
| V450-54-LED | 54 7/16" | 7 3/8" | 11 15/16" | 4 | Globe 001 | 34.00 | \$ 7,529 | \$ 8,968 |
| V450-68 | 68 7/16" | 7 3/8" | 11 15/16" | 5 | Globe 001 | 40.00 | \$ 8,998 | \$ 10,797 |
| V450-68-LED | 68 7/16" | 7 3/8" | 11 15/16" | 5 | Globe 001 | 40.00 | \$ 9,451 | \$ 11,249 |
| V450-82 | 82 7/16" | 7 3/8" | 11 15/16" | 6 | Globe 001 | 45.00 | \$ 10,694 | \$ 12,852 |
| V450-82-LED | 82 7/16" | 7 3/8" | 11 15/16" | 6 | Globe 001 | 45.00 | \$ 11,192 | \$ 13,350 |
| V450-94 | 94 7/16" | 7 3/8" | 11 15/16" | 7 | Globe 001 | 50.00 | \$ 12,413 | \$ 14,931 |
| V450-94-LED | 94 7/16" | 7 3/8" | 11 15/16" | 7 | Globe 001 | 50.00 | \$ 12,999 | \$ 15,517 |

- Specify metal, patina, and escutcheon.
- Light fixtures are shown with E403 Square escutcheon for illustration purposes only. See pages Tiii -Tiv for available escutcheon options.
- All LED lights are dimmable.
- Fixtures are UL rated for indoor and outdoor damp locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tix-Txiv for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in wall is recommended.
- See page Ti for leather options. Bronze textures not available. Refer to website or brochure for leather details.

Vanity V455



Lantern Vanity

- incandescent or compact fluorescent type A bulbs.
- 100 watts maximum ea.
- Bulbs not included.
- Price includes glass shades.
- * Designer escutcheon (E155) requires leather choice.



LED Lantern Vanity

- Price includes LED lamp.
- Price includes glass shade.
- 120VAC, 60Hz
- 13 W, 2700K
- * Designer escutcheon (E155) requires leather choice.

| Vanity | A Length | B Projection | C Height | # of Globes | Shade Type | Wt. lbs. | Standard Escutcheon | Designer Escutcheon* |
|-------------|----------|--------------|-----------|-------------|------------|----------|---------------------|----------------------|
| V455-26 | 26 7/16" | 7 3/8" | 11 15/16" | 2 | Globe 004 | 21.00 | \$ 3,814 | \$ 4,534 |
| V455-26-LED | 26 7/16" | 7 3/8" | 11 15/16" | 2 | Globe 004 | 21.00 | \$ 4,046 | \$ 4,766 |
| V455-40 | 40 7/16" | 7 3/8" | 11 15/16" | 3 | Globe 004 | 27.00 | \$ 5,532 | \$ 6,611 |
| V455-40-LED | 40 7/16" | 7 3/8" | 11 15/16" | 3 | Globe 004 | 27.00 | \$ 5,851 | \$ 6,930 |
| V455-54 | 54 7/16" | 7 3/8" | 11 15/16" | 4 | Globe 004 | 34.00 | \$ 7,161 | \$ 8,600 |
| V455-54-LED | 54 7/16" | 7 3/8" | 11 15/16" | 4 | Globe 004 | 34.00 | \$ 7,529 | \$ 8,968 |
| V455-68 | 68 7/16" | 7 3/8" | 11 15/16" | 5 | Globe 004 | 40.00 | \$ 8,998 | \$ 10,797 |
| V455-68-LED | 68 7/16" | 7 3/8" | 11 15/16" | 5 | Globe 004 | 40.00 | \$ 9,451 | \$ 11,249 |
| V455-82 | 82 7/16" | 7 3/8" | 11 15/16" | 6 | Globe 004 | 45.00 | \$ 10,694 | \$ 12,852 |
| V455-82-LED | 82 7/16" | 7 3/8" | 11 15/16" | 6 | Globe 004 | 45.00 | \$ 11,192 | \$ 13,350 |
| V455-94 | 94 7/16" | 7 3/8" | 11 15/16" | 7 | Globe 004 | 50.00 | \$ 12,413 | \$ 14,931 |
| V455-94-LED | 94 7/16" | 7 3/8" | 11 15/16" | 7 | Globe 004 | 50.00 | \$ 12,999 | \$ 15,517 |

- Specify metal, patina, and escutcheon.
- See pages Tiii -Tiv for available escutcheon options.
- All LED lights are dimmable.
- Fixtures are UL listed for indoor and outdoor damp locations and wet locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in wall is recommended.
- See page Ti for leather options. Bronze textures not available. Refer to website or brochure for leather details.

Wall Sconce WS400



w/G4513



w/E403



w/E419



w/E560



w/G153*



w/E155*


Post Sconce

- 1 incandescent or compact fluorescent type A bulb.
- 100 watts maximum.
- Bulb not included.
- Price includes glass shade (Globe 001).
- Available for wet locations (Globe 001-W).
- * Designer escutcheon requires leather choice.



LED Post Sconce

- Price includes LED lamp.
- Price includes glass shade (Globe 001).
- Available for wet locations (Globe 001-W).
- 120VAC, 60Hz
- 3.3 W, 2700K
- * Designer escutcheon requires leather choice.



| WS400 | A Width | B Projecton | C Height | Shade Type | Bulb Type | Wt. lbs. | Price | LED Price |
|---------|---------|-------------|----------|------------|-----------|----------|----------|-----------|
| w/G4513 | 5 1/2" | 6 5/8" | 13" | Globe 001 | A | 11.00 | \$ 1,990 | \$ 2,191 |
| w/E403 | 5 1/2" | 6 5/8" | 8 5/16" | Globe 001 | A | 10.00 | \$ 1,990 | \$ 2,191 |
| w/E419 | 6 1/2" | 6 5/8" | 8 5/8" | Globe 001 | A | 10.00 | \$ 1,990 | \$ 2,191 |
| w/E560 | 6 1/2" | 6 5/8" | 13" | Globe 001 | A | 11.00 | \$ 1,990 | \$ 2,191 |
| w/G153* | 5 1/2" | 6 5/8" | 13" | Globe 001 | A | 11.00 | \$ 2,430 | \$ 2,631 |
| w/E155* | 5 1/2" | 6 5/8" | 8 5/16" | Globe 001 | A | 10.00 | \$ 2,350 | \$ 2,550 |

- Specify metal, patina, and escutcheon.
- See pages Tiii -Tiv for available escutcheon options.
- All LED lights are dimmable.
- Fixtures are UL listed for indoor and outdoor damp locations and wet locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in wall is recommended.
- See page Ti for leather options. Bronze textures not available. Refer to website or brochure for leather details.

Wall Sconce WS405

Up-Light Orientation (Damp and Wet Location)



w/G4513



w/E403



w/E419



w/E560



w/G153*



w/E155*

Down-Light Orientation (Damp Location Only)




Post-Ring Sconce

- 1 incandescent or compact fluorescent type A bulb.
- 100 watts maximum.
- Bulb not included.
- Price includes glass shade (Globe 001).
- Available for wet locations (Globe 001-W).
- * Designer escutcheon requires leather choice.



LED Post-Ring Sconce

- Price includes LED lamp.
- Price includes glass shade (Globe 001).
- Available for wet locations (Globe 001-W).
- 120VAC, 60Hz
- 3.3 W, 2700K
- * Designer escutcheon requires leather choice.



| WS405 | A Width | B Projecton | C Height | Shade Type | Bulb Type | Wt. lbs. | Price | LED Price |
|---------|---------|-------------|----------|------------|-----------|----------|----------|-----------|
| w/G4513 | 5 1/2" | 6 7/8" | 13" | Globe 001 | A | 11.00 | \$ 2,205 | \$ 2,405 |
| w/E403 | 5 1/2" | 6 7/8" | 8 5/8" | Globe 001 | A | 10.00 | \$ 2,205 | \$ 2,405 |
| w/E419 | 6 1/2" | 6 7/8" | 9 1/8" | Globe 001 | A | 10.00 | \$ 2,205 | \$ 2,405 |
| w/E560 | 6 1/2" | 6 7/8" | 13" | Globe 001 | A | 11.00 | \$ 2,205 | \$ 2,405 |
| w/G153* | 5 1/2" | 6 7/8" | 13" | Globe 001 | A | 11.00 | \$ 2,645 | \$ 2,845 |
| w/E155* | 5 1/2" | 6 7/8" | 8 5/8" | Globe 001 | A | 10.00 | \$ 2,565 | \$ 2,765 |

- Specify metal, patina, and escutcheon.
- See pages Tiii -Tiv for available escutcheon options.
- All LED lights are dimmable.
- Fixtures are UL listed for indoor and outdoor damp locations and wet locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in wall is recommended.
- See page Ti for leather options. Bronze textures not available. Refer to website or brochure for leather details.

Wall Sconce WS410



w/G4513



w/E403



w/E419



w/E560



w/G153*



w/E155*


Truss Sconce

- 1 incandescent or compact fluorescent type A bulb.
- 100 watts maximum.
- Bulb not included.
- Price includes glass shade (Globe 001).
- Available for wet locations (Globe 001-W).
- * Designer escutcheon requires leather choice.



LED Truss Sconce

- Price includes LED lamp.
- Price includes glass shade (Globe 001).
- Available for wet locations (Globe 001-W).
- 120VAC, 60Hz
- 3.3 W, 2700K
- * Designer escutcheon requires leather choice.



| WS410 | A Width | B Projecton | C Height | Shade Type | Bulb Type | Wt. lbs. | Price | LED Price |
|---------|---------|-------------|----------|------------|-----------|----------|----------|-----------|
| w/G4513 | 5 1/2" | 6 3/4" | 13" | Globe 001 | A | 11.00 | \$ 2,038 | \$ 2,238 |
| w/E403 | 5 1/2" | 6 3/4" | 8 5/16" | Globe 001 | A | 10.00 | \$ 2,038 | \$ 2,238 |
| w/E419 | 6 1/2" | 6 3/4" | 8 13/16" | Globe 001 | A | 10.00 | \$ 2,038 | \$ 2,238 |
| w/E560 | 6 1/2" | 6 3/4" | 13" | Globe 001 | A | 11.00 | \$ 2,038 | \$ 2,238 |
| w/G153* | 5 1/2" | 6 3/4" | 13" | Globe 001 | A | 11.00 | \$ 2,478 | \$ 2,678 |
| w/E155* | 5 1/2" | 6 3/4" | 8 5/16" | Globe 001 | A | 10.00 | \$ 2,397 | \$ 2,598 |

- Specify metal, patina, and escutcheon.
- See pages Tiii -Tiv for available escutcheon options.
- All LED lights are dimmable.
- Fixtures are UL listed for indoor and outdoor damp locations and wet locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in wall is recommended.
- See page Ti for leather options. Bronze textures not available. Refer to website or brochure for leather details.

Wall Sconce WS415

Up-Light Orientation (Damp and Wet Location)



w/G4513



w/E403



w/E419



w/E560



w/G153*



w/E155*

Down-Light Orientation (Damp Location Only)




Truss-Ring Sconce

- 1 incandescent or compact fluorescent type A bulb.
- 100 watts maximum.
- Bulb not included.
- Price includes glass shade (Globe 001).
- Available for wet locations (Globe 001-W).
- * Designer escutcheon requires leather choice.



LED Truss-Ring Sconce


- Price includes LED lamp.
- Price includes glass shade (Globe 001).
- Available for wet locations (Globe 001-W).
- 120VAC, 60Hz
- 3.3 W, 2700K
- * Designer escutcheon requires leather choice.




| WS415 | A Width | B Projecton | C Height | Shade Type | Bulb Type | Wt. lbs. | Price | LED Price |
|---------|---------|-------------|----------|------------|-----------|----------|----------|-----------|
| w/G4513 | 5 1/2" | 6 3/4" | 13" | Globe 001 | A | 11.00 | \$ 2,258 | \$ 2,458 |
| w/E403 | 5 1/2" | 6 3/4" | 8 9/16" | Globe 001 | A | 10.00 | \$ 2,258 | \$ 2,458 |
| w/E419 | 6 1/2" | 6 3/4" | 9 1/16" | Globe 001 | A | 10.00 | \$ 2,258 | \$ 2,458 |
| w/E560 | 6 1/2" | 6 3/4" | 13" | Globe 001 | A | 11.00 | \$ 2,258 | \$ 2,458 |
| w/G153* | 5 1/2" | 6 3/4" | 13" | Globe 001 | A | 11.00 | \$ 2,698 | \$ 2,898 |
| w/E155* | 5 1/2" | 6 3/4" | 8 9/16" | Globe 001 | A | 10.00 | \$ 2,617 | \$ 2,818 |

- Specify metal, patina, and escutcheon.
- See pages Tiii -Tiv for available escutcheon options.
- All LED lights are dimmable.
- Fixtures are UL listed for indoor and outdoor damp locations and wet locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in wall is recommended.
- See page Ti for leather options. Bronze textures not available. Refer to website or brochure for leather details.

Wall Sconce WS416




w/G4513




w/E403




w/E419



w/E560



w/G153*



w/E155*


Truss Sconce

- 1 incandescent or compact fluorescent type A bulb.
- 100 watts maximum.
- Bulb not included.
- Price includes glass shade (Globe 004).
- Available for wet locations (Globe 004-W).
- * Designer escutcheon requires leather choice.



LED Truss Sconce

- Price includes LED lamp.
- Price includes glass shade (Globe 004).
- Available for wet locations (Globe 004-W).
- 120VAC, 60Hz
- 3.3 W, 2700K
- * Designer escutcheon requires leather choice.



| WS416 | A Width | B Projecton | C Height | Shade Type | Bulb Type | Wt. lbs. | Price | LED Price |
|---------|---------|-------------|----------|------------|-----------|----------|----------|-----------|
| w/G4513 | 5 1/2" | 6 3/4" | 13" | Globe 004 | A | 11.00 | \$ 2,038 | \$ 2,238 |
| w/E403 | 5 1/2" | 6 3/4" | 8 5/16" | Globe 004 | A | 10.00 | \$ 2,038 | \$ 2,238 |
| w/E419 | 6 1/2" | 6 3/4" | 8 13/16" | Globe 004 | A | 10.00 | \$ 2,038 | \$ 2,238 |
| w/E560 | 6 1/2" | 6 3/4" | 13" | Globe 004 | A | 11.00 | \$ 2,038 | \$ 2,238 |
| w/G153* | 5 1/2" | 6 3/4" | 13" | Globe 004 | A | 11.00 | \$ 2,478 | \$ 2,678 |
| w/E155* | 5 1/2" | 6 3/4" | 8 5/16" | Globe 004 | A | 10.00 | \$ 2,397 | \$ 2,598 |

- Specify metal, patina, and escutcheon.
- See pages Tiii -Tiv for available escutcheon options.
- All LED lights are dimmable.
- Fixtures are UL listed for indoor and outdoor damp locations and wet locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in wall is recommended.
- See page Ti for leather options. Bronze textures not available. Refer to website or brochure for leather details.

Wall Sconce WS418

Up-Light Orientation (Damp and Wet Location)



w/G4513



w/E403



w/E419



w/E560




w/G153*



w/E155*

Down-Light Orientation (Damp Location Only)





Truss-Ring Sconce

- 1 incandescent or compact fluorescent type A bulb.
- 100 watts maximum.
- Bulb not included.
- Price includes glass shade (Globe 004).
- Available for wet locations (Globe 004-W).
- * Designer escutcheon requires leather choice.



LED Truss-Ring Sconce

- Price includes LED lamp.
- Price includes glass shade (Globe 004).
- Available for wet locations (Globe 004-W).
- 120VAC, 60Hz
- 3.3 W, 2700K
- * Designer escutcheon requires leather choice.






| WS418 | A Width | B Projecton | C Height | Shade Type | Bulb Type | Wt. lbs. | Price | LED Price |
|---------|---------|-------------|----------|------------|-----------|----------|----------|-----------|
| w/G4513 | 5 1/2" | 6 3/4" | 13" | Globe 004 | A | 11.00 | \$ 2,258 | \$ 2,458 |
| w/E403 | 5 1/2" | 6 3/4" | 8 1/2" | Globe 004 | A | 10.00 | \$ 2,258 | \$ 2,458 |
| w/E419 | 6 1/2" | 6 3/4" | 9" | Globe 004 | A | 10.00 | \$ 2,258 | \$ 2,458 |
| w/E560 | 6 1/2" | 6 3/4" | 13" | Globe 004 | A | 11.00 | \$ 2,258 | \$ 2,458 |
| w/G153* | 5 1/2" | 6 3/4" | 13" | Globe 004 | A | 11.00 | \$ 2,698 | \$ 2,898 |
| w/E155* | 5 1/2" | 6 3/4" | 8 1/2" | Globe 004 | A | 10.00 | \$ 2,617 | \$ 2,818 |



- Specify metal and patina.
- See pages Tiii -Tiv for available escutcheon options.
- All LED lights are dimmable.
- Fixtures are UL listed for indoor and outdoor damp locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in wall is recommended.
- See page Ti for leather options. Bronze textures not available. Refer to website or brochure for leather details.

Wall Sconces

Charlie
WS419



Double Charlie
WS423



Wall Sconce

- incandescent type bulb.
- 100 watts maximum.
- Bulb not included.
- Price includes glass shade when applicable.
- * Requires leather choice.

LED Wall Sconce

- Price includes LED lamp.
- Price includes glass shade when applicable.
- 120VAC, 60Hz
- 3.3 W, 2700K (WS419)
- 6.6 W, 2700K (WS423)
- * Requires leather choice.

| Wall Sconce | Escutcheon | Overall Width | Overall Projection | Overall Height | Shade Type | Bulb Type | Wt. lbs. | Price | LED Price |
|-------------|------------|---------------|--------------------|----------------|------------|-----------|----------|----------|-----------|
| WS419 | E280 | 5 1/2" | 5 7/8" | 9 1/4" | S Tube 001 | A or T | 10.00 | \$ 2,130 | \$ 2,330 |
| WS419 | E155* | 5 1/2" | 5 7/8" | 9 1/4" | S Tube 001 | A or T | 10.00 | \$ 2,490 | \$ 2,690 |
| WS423 | E280 | 5 1/2" | 5 7/8" | 19 5/8" | S Tube 003 | A or T | 15.00 | \$ 3,588 | \$ 3,788 |
| WS423 | E155* | 5 1/2" | 5 7/8" | 19 5/8" | S Tube 003 | A or T | 15.00 | \$ 3,947 | \$ 4,147 |
| WS423 | G291 | 4" | 5 7/8" | 30" | S Tube 003 | A or T | 15.00 | \$ 3,588 | \$ 3,788 |




- Specify metal and patina.
- See pages Tiii -Tiv for available escutcheon options.
- All LED lights are dimmable.
- Fixtures are UL listed for indoor and outdoor damp locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in wall is recommended.
- See page Ti for leather options. Bronze textures not available. Refer to website or brochure for leather details.

Wall Sconces

Lantern
WS465



Echo
WS590



Wall Sconce

- incandescent type bulb.
- 100 watts maximum.
- Bulb not included.
- Price includes glass shade when applicable.
- * Requires leather choice.


LED Wall Sconce

- Price includes LED lamp.
- Price includes glass shade.
- 120VAC, 60Hz
- 6.6 W, 2700K (WS465)
- 3.3 W, 2700K (WS590)
- * Requires leather choice.

| Wall Sconce | Escutcheon | Overall Width | Overall Projection | Overall Height | Shade Type | Bulb Type | Wt. lbs. | Price | LED Price |
|-------------|------------|---------------|--------------------|----------------|------------|-----------|----------|----------|-----------|
| WS465 | E403 | 6 7/16" | 9 1/2" | 8 5/8" | - | A | 27.00 | \$ 2,351 | \$ 2,661 |
| WS465 | G4513 | 6 7/16" | 9 1/2" | 13" | - | A | 30.00 | \$ 2,351 | \$ 2,661 |
| WS590 | E403 | 6" | 8 1/8" | 16 3/4" | Globe 005 | A | 12.00 | \$ 3,747 | \$ 3,947 |
| WS590 | E155* | 6" | 8 1/8" | 16 3/4" | Globe 005 | A | 12.00 | \$ 4,107 | \$ 4,307 |

- Specify metal and patina.
- See pages Tiii -Tiv for available escutcheon options.
- All LED lights are dimmable.
- Fixtures are UL listed for indoor and outdoor damp locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in wall is recommended.

Wall Sconces



LED Wall Sconce

- Price includes LED lamp.
- Price includes glass shade when applicable.
- 120VAC, 60Hz
- 3.3 W, 2700K (WS466)
- 6.6 W, 2700K (WS468)

| Wall Sconce | Escutcheon | Overall Width | Overall Projection | Overall Height | Shade Type | Bulb Type | Wt. lbs. | Price | LED Price |
|-------------|------------|---------------|--------------------|----------------|------------|-----------|----------|-------|-----------|
| WS466 | E280 | 5 1/2" | 5 5/8" | 5 1/2" | - | - | 8.00 | - | \$2,338 |
| WS468 | E281 | 8" | 7 9/16" | 8" | - | - | 19.00 | - | \$3,539 |

- Specify metal, patina, and escutcheon.
- See pages Tiii -Tiv for available escutcheon options.
- Fixtures are UL listed for indoor locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in wall is recommended.
- See page Ti for leather options. Bronze textures not available. Refer to website or brochure for leather details.

Wall Sconce WS500



w/G4513



w/E403



w/E419




w/E560



w/G153



w/E155



with crystals only



with prism only



with crystals & prism

Towne Sconce

- 3 incandescent or compact fluorescent type B bulbs.
- 60 watts maximum ea.
- Bulbs not included.
- Price includes fabric shade.
- * Requires leather choice.



SHADE OPTIONS



Cone 1



Drum 1

| WS500 | A Width | B Projection | C Height | Wt. lbs. | Option A | Option B | Option C | Option D |
|---------|---------|--------------|-----------|----------|----------|----------|----------|----------|
| w/G4513 | 5 1/2" | 7 3/4" | 14 11/16" | 9.50 | \$ 1,995 | \$ 2,134 | \$ 2,152 | \$ 2,292 |
| w/E403 | 5 1/2" | 7 3/4" | 14 11/16" | 6.50 | \$ 1,995 | \$ 2,134 | \$ 2,152 | \$ 2,292 |
| w/E419 | 6 1/2" | 7 3/4" | 14 11/16" | 7.00 | \$ 1,995 | \$ 2,134 | \$ 2,152 | \$ 2,292 |
| w/E560 | 6 1/2" | 7 3/4" | 14 11/16" | 9.00 | \$ 1,995 | \$ 2,134 | \$ 2,152 | \$ 2,292 |
| w/G153* | 5 1/2" | 7 3/4" | 14 11/16" | 8.50 | \$ 2,435 | \$ 2,574 | \$ 2,592 | \$ 2,732 |
| w/E155* | 5 1/2" | 7 3/4" | 14 11/16" | 6.50 | \$ 2,354 | \$ 2,494 | \$ 2,512 | \$ 2,651 |

- Specify metal and patina.
- All LED lights are dimmable.
- Fixtures are UL listed for indoor and outdoor damp locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in wall is recommended.

Wall Sconce WS421



w/G504



w/G520


Mod Sconce

- incandescent type 25T6.5 bulb.
- 75 watts maximum.
- Bulb included. (25 watt)
- Price includes glass shade when applicable.



LED Mod Sconce

- Price includes LED lamp.
- Price includes glass shade.
- 120VAC, 60Hz
- 3.3 W, 2700K




| Wall Sconce | Escutcheon | A Width | B Projection | C Height | Shade Type | Bulb Type | Wt. lbs. | Price | LED Price |
|-------------|------------|---------|--------------|----------|------------|-----------|----------|----------|-----------|
| WS421 | G504 | 2 3/4" | 4 1/8" | 20" | Mod Glass | 25T6.5 | 14.00 | \$ 2,304 | \$ 2,504 |
| WS421 | G520 | 5" | 4 1/4" | 20" | Mod Glass | 25T6.5 | 21.00 | \$ 2,304 | \$ 2,504 |


- Specify metal and patina.
- All LED lights are dimmable.
- Fixtures are UL listed for indoor and outdoor damp locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in wall is required.

Wall Sconce

Small Vessel
WS425



Vessel
WS430




Wall Sconce

- incandescent type bulb.
- 100 watts maximum.
- Bulb not included.
- Price includes glass shade when applicable.



LED Wall Sconce

- Price includes LED lamp.
- Price includes glass shade when applicable.
- 120VAC, 60Hz
- 6.6 W, 2700K



| Wall Sconce | A Width | B Projection | C Height | Shade Type | Bulb Type | Wt. lbs. | Price | LED Price |
|--------------|---------|--------------|-----------|----------------|-----------|----------|----------|-----------|
| WS425 | 8" | 5 1/2" | 24" | Shade 425 | A | 30.00 | \$ 4,260 | \$ 4,494 |
| WS430 | 12" | 8 3/16" | 33 15/16" | Square Slump 7 | A | 85.00 | \$ 6,888 | \$ 7,120 |



- Specify metal and patina.
- All LED lights are dimmable.
- Fixtures are UL listed for indoor and outdoor damp locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in wall is required.

Wall Sconce

Tunnel
WS480



Double Tunnel
WS420



Wall Sconce

- incandescent type bulb.
- 100 watts maximum.
- Bulb not included.
- Price includes glass shade when applicable.



LED Wall Sconce

- Price includes LED lamp.
- Price includes glass shade when applicable.
- 120VAC, 60Hz
- 3.3 W, 2700K (WS480)
- 13.2 W, 2700K (WS420)

| Wall Sconce | Overall Width | Overall Projection | Overall Height | Shade Type | Bulb Type | Wt. lbs. | Price | LED Price |
|-------------|---------------|--------------------|----------------|-----------------|-----------|----------|----------|-----------|
| WS480 | 6" | 4 1/2" | 17" | Curve Slump 3.5 | A | 18.00 | \$ 2,051 | \$ 2,251 |
| WS420 | 4" | 4 1/4" | 30" | Curve Slump 4 | A | 30.00 | \$ 3,654 | \$ 4,054 |





- Specify metal and patina.
- All LED lights are dimmable.
- Fixtures are UL listed for indoor and outdoor damp locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- See page Tv-Tviii for electrical box location.
- Fixtures must be mounted independently of outlet box. Support blocking in wall is required.

Wall Sconce

Plank, WS440
w/Flat Glass



Plank, WS445
w/Corrugated Glass



Wall Sconce

- incandescent type bulb.
- 100 watts maximum.
- Bulb not included.
- Price includes glass shade.





LED Wall Sconce

- Price includes LED lamp.
- Price includes glass shade.
- 120VAC, 60Hz
- 3.3 W, 2700K

| Wall Sconce | A Width | B Projection | C Height | Shade Type | Bulb Type | Wt. lbs. | Price | LED Price |
|-------------|---------|--------------|----------|---------------------|-----------|----------|---------|-----------|
| WS440 | 22" | 5 1/4" | 8" | Plank 20 | A | 22.00 | \$2,677 | \$2,877 |
| WS445 | 22" | 5 1/4" | 8" | Corrugated Plank 20 | A | 22.00 | \$2,677 | \$2,877 |

- Specify metal and patina.
- Fixtures are UL listed for indoor and outdoor damp and wet locations. A damp location is a protected area that is subject to moisture; such as under the eave of a roof.
- Fixture intended to be installed utilizing NEC compliant 4" x 2" junction box. LED driver must fit within junction box. See diagram below for driver dimensions.

Pathway Light LG400



LED Horizontal Pathway Light

- 120V, 60HZ
- 2.9W, 0.03A, 3000K
- Suitable for dry, damp, & wet locations.
- Non-dimmable

| Pathway Light | Overall Width | Overall Projection | Overall Height | Wt. lbs. | Price |
|---------------|---------------|--------------------|----------------|----------|--------|
| LG400 | 4 7/8" | 1 3/16" | 3" | 1.00 | \$ 666 |

